Mem & Ved





A Safer,
Water-Based,
Wood Floor Program
Some Floors are Just Luckier than Others®

Matérial de revêtementet de fini à plancher en cequi concerne la résistance au glissage seulement 18RL

Floor coating and finish material as to slip resistance only 18RL



Wood floors are often the "showcase" of any facility. Good looking, shiny floors convey a positive image to the public, patrons and employees using the facility.

A proven maintenance system will enhance a floor's natural beauty and protect your substantial investment. When choosing a wood floor system, consider the Swish Wood Floor Care Program. Since most wood floors can be brought back to "like-new condition" with a simple deep scrub and recoat process, the Swish water based wood floor system is safer during application and offers a cost effective solution to traditional wood floor systems.

The Swish system eliminates the mess and time-consuming need for sanding, re-stripping and applying multiple coats of seal and finish. Our system allows you to have floors dry in as little as 1 to 2 hours and cured and ready for use in just 24 hours.

FEATURES AND BENEFITS

SAFE

- UL® Registered
- Improved slip resistance
- Low VOC's and odour
- Single part, water-based formulation

COST EFFECTIVE

- Prolonged floor life (25%)
- Improved coverage per gallon (800-1000 sq/ft)
- Fast dry time (Approximately 1 2 hours)

EASY APPLICATION & MAINTENANCE

- Prep, rinse and clean, then apply finish.
- Repairable when damaged in high traffic or extreme wear.
- Burnishable
- Improved leveling





PRODUCT INFORMATION

SWISH PREP

A dual-use product that deep cleans wood floors prior to recoating or burnishing. When used for recoating, this product will remove embedded dirt, black marks and other soils, leaving the floor uniformly dull and ready for application of GYM FINISH. When used for burnishing, SWISH PREP removes surface soil and black marks leaving the floor clean and ready for burnishing. **#9000-4 3.78 L**



GYM FINISH

This one-part, acrylic hybrid, high solids, high gloss wood finish is an amazing improvement over conventional wood floor finishes. It provides long lasting beauty and protection to all wood floors. A 1-2 hour dry time between coats means a down time of only 24 hours and the single-component formula means no pot life and no mess.





#9002-4 (3.78 L) #9002-10 (10 L) #9002-20 (18.9 L)

SWISH CLEAN

A mild pH cleaner for medium to heavily soiled floors. This low-foaming, free-rinsing product will not dull your wood floor, even when used with a white pad on an automatic scrubber. It quickly emulsifies ice melter residue and other soils that give your gym floor a dull appearance. **9001-4 3.78 L**



SIMPLE PROCEDURE

APPLICATION

- Dust mop floor and remove all gum and labels.
- Apply SWISH PREP to deep clean and remove embedded dirt, black marks and others soils.
- Scrub with 80 to 100 grit sanding screen to sufficiently roughen & prepare the floor.
- Rinse with SWISH CLEAN until all residue has been removed.
- Apply thin and even coats of GYM FINISH with the grain of the wood.
- Allow approximately 1-2 hours between coats.
- Apply 2nd coat.
- Scrubbing may be necessary if grain raises or floor has dried for longer than 4 hours.

MAINTENANCE

- Make certain floor is sealed properly and finished with GYM FINISH.
- Clean with SWISH CLEAN using auto scrubber and red pads; allow to dry.
- Burnish with hair pads for high gloss appearance.

PROLONGED FLOOR LIFE 25%





We are experts when it comes to floor care.

Our wood floor specialist support group is available to provide a professional analysis of your wood floor needs. Contact us by visiting **www.swishclean.com** for more details.



SWISH CANADA

1 855 GO SWISH (467-9474) Email: sales@swishclean.com visit us online at

swishclean.com

24 7 365

SWISH USA

1 800 322 4222

Email: sales@swishclean.com



